



Shasta County

DEPARTMENT OF RESOURCE MANAGEMENT
1855 Placer Street, Redding, CA 96001

Russ Mull, R.E.H.S., AICP
Director
Richard W. Simon, AICP
Assistant Director

July 29, 2011

William J. Hofert
Controller and Acting Regulatory Manager
DeVILBISS Automotive Refinishing
11360 S. Airfield Road
Swanton, OH 43558

Dear Mr. Hofert:

APPROVAL OF TEKNA PRO SPRAY GUN WITH TE10 AIR CAP AT 35 PSIG

In response to your letter dated July 26, 2011, regarding approval of the above-subject spray gun, the Shasta County Air Quality Management District (District) offers the following as official approval:

Shasta County Air Quality Management District will authorize the use of any spray-coating equipment that can demonstrate at least 65 percent transfer efficiency under the conditions of its use. The material contained in the Final Report Evaluation of the Devilbiss TEKNA Pro (and TEKNA Pro Lite) for use as equivalent technology to HVLP, as defined in 40 CFR 63.11173(e) dated 5/2/11, that you provided with your letter, indicates that the Tekna Spray Gun with TE10 Air Cap is capable of meeting this standard. Therefore, the Shasta County Air Quality Management District will authorize the use of this gun, for automotive refinishing in Shasta County, subject to the same conditions as those mentioned by the United States Environmental Protection Agency's letter dated July 20, 2011. Each gun must be equipped with an appropriate pressure gauge to allow precise measurement of the inlet air pressure and the air pressure must be supplied at equal to or less than 35 psig.

Should you have any questions regarding this authorization, please feel free to call me at (530) 225-5674 or e-mail me at rebell@co.shasta.ca.us.

Sincerely,

Ross Bell
Air Quality District Manager

rb/mb

Suite 101
AIR QUALITY MANAGEMENT DISTRICT
(530) 225-5674
FAX: (530) 225-5237

Suite 102
BUILDING DIVISION
(530) 225-5761
FAX: (530) 245-6468

Suite 103
PLANNING DIVISION
(530) 225-5532
FAX: (530) 245-6468

Suite 201
ENVIRONMENTAL HEALTH DIVISION
(530) 225-5787
FAX: (530) 225-5413

Suite 200
ADMINISTRATION & COMMUNITY EDUCATION
(530) 225-5789
FAX: (530)-225-5807



Shasta County

DEPARTMENT OF RESOURCE MANAGEMENT
1855 Placer Street, Redding, CA 96001

Russ Mull, R.E.H.S., AICP
Director
Richard W. Simon, AICP
Assistant Director

July 29, 2011

William J. Hofert
Controller and Acting Regulatory Manager
DeVILBISS Automotive Refinishing
11360 S. Airfield Road
Swanton, OH 43558

Dear Mr. Hofert:

APPROVAL OF TEKNA PROLITE SPRAY GUN WITH TE10 AIR CAP AT 35 PSIG

In response to your letter dated July 26, 2011, regarding approval of the above-subject spray gun, the Shasta County Air Quality Management District (District) offers the following as official approval:

Shasta County Air Quality Management District will authorize the use of any spray-coating equipment that can demonstrate at least 65 percent transfer efficiency under the conditions of its use. The material contained in the Final Report Evaluation of the Devilbiss TEKNA Pro (and TEKNA Pro Lite) for use as equivalent technology to HVLP, as defined in 40 CFR 63.11173(e) dated 5/2/11, that you provided with your letter, indicates that the Tekna Spray Gun with TE10 Air Cap is capable of meeting this standard. Therefore, the Shasta County Air Quality Management District will authorize the use of this gun, for automotive refinishing in Shasta County, subject to the same conditions as those mentioned by the United States Environmental Protection Agency's letter dated July 20, 2011. Each gun must be equipped with an appropriate pressure gauge to allow precise measurement of the inlet air pressure and the air pressure must be supplied at equal to or less than 35 psig.

Should you have any questions regarding this authorization, please feel free to call me at (530) 225-5674 or e-mail me at rebell@co.shasta.ca.us.

Sincerely,

Ross Bell
Air Quality District Manager

rb/mb

Suite 101
AIR QUALITY MANAGEMENT DISTRICT
(530) 225-5674
FAX: (530) 225-5237

Suite 102
BUILDING DIVISION
(530) 225-5761
FAX: (530) 245-6468

Suite 103
PLANNING DIVISION
(530) 225-5532
FAX: (530) 245-6468

Suite 201
ENVIRONMENTAL HEALTH DIVISION
(530) 225-5787
FAX: (530) 225-5413

Suite 200
ADMINISTRATION & COMMUNITY EDUCATION
(530) 225-5789
FAX: (530)-225-5807



Shasta County

DEPARTMENT OF RESOURCE MANAGEMENT
1855 Placer Street, Redding, CA 96001

Russ Mull, R.E.H.S., AICP
Director
Richard W. Simon, AICP
Assistant Director

July 29, 2011

William J. Hofert
Controller and Acting Regulatory Manager
DeVILBISS Automotive Refinishing
11360 S. Airfield Road
Swanton, OH 43558

Dear Mr. Hofert:

APPROVAL OF TEKNA PROLITE SPRAY GUN WITH TE20 AIR CAP AT 26 PSIG

In response to your letter dated July 26, 2011, regarding approval of the above-subject spray gun, the Shasta County Air Quality Management District (District) offers the following as official approval:

Shasta County Air Quality Management District will authorize the use of any spray-coating equipment that can demonstrate at least 65 percent transfer efficiency under the conditions of its use. The material contained in the Final Report Evaluation of the Devilbiss TEKNA Pro (and TEKNA Pro Lite) for use as equivalent technology to HVLP, as defined in 40 CFR 63.11173(e) dated 5/2/11, that you provided with your letter, indicates that the Tekna Spray Gun with TE20 Air Cap is capable of meeting this standard. Therefore, the Shasta County Air Quality Management District will authorize the use of this gun, for automotive refinishing in Shasta County, subject to the same conditions as those mentioned by the United States Environmental Protection Agency's letter dated July 20, 2011. Each gun must be equipped with an appropriate pressure gauge to allow precise measurement of the inlet air pressure and the air pressure must be supplied at equal to or less than 26 psig.

Should you have any questions regarding this authorization, please feel free to call me at (530) 225-5674, or e-mail me at rebell@co.shasta.ca.us.

Sincerely,

Ross Bell
Air Quality District Manager

rb/mb

Suite 101

AIR QUALITY MANAGEMENT DISTRICT
(530) 225-5674
FAX: (530) 225-5237

Suite 102

BUILDING DIVISION
(530) 225-5761
FAX: (530) 245-6468

Suite 103

PLANNING DIVISION
(530) 225-5532
FAX: (530) 245-6468

Suite 201

ENVIRONMENTAL HEALTH DIVISION
(530) 225-5787
FAX: (530) 225-5413

Suite 200

ADMINISTRATION & COMMUNITY EDUCATION
(530) 225-5789
FAX: (530)-225-5807



Shasta County

DEPARTMENT OF RESOURCE MANAGEMENT
1855 Placer Street, Redding, CA 96001

Russ Mull, R.E.H.S., AICP
Director
Richard W. Simon, AICP
Assistant Director

July 29, 2011

William J. Hofert
Controller and Acting Regulatory Manager
DeVILBISS Automotive Refinishing
11360 S. Airfield Road
Swanton, OH 43558

Dear Mr. Hofert:

APPROVAL OF TEKNA PRO SPRAY GUN WITH TE20 AIR CAP AT 26 PSIG

In response to your letter dated July 26, 2011, regarding approval of the above-subject spray gun, the Shasta County Air Quality Management District (District) offers the following as official approval:

Shasta County Air Quality Management District will authorize the use of any spray-coating equipment that can demonstrate at least 65 percent transfer efficiency under the conditions of its use. The material contained in the Final Report Evaluation of the Devilbiss TEKNA Pro (and TEKNA Pro Lite) for use as equivalent technology to HVLP, as defined in 40 CFR 63.11173(e) dated 5/2/11, that you provided with your letter, indicates that the Tekna Spray Gun with TE20 Air Cap is capable of meeting this standard. Therefore, the Shasta County Air Quality Management District will authorize the use of this gun, for automotive refinishing in Shasta County, subject to the same conditions as those mentioned by the United States Environmental Protection Agency's letter dated July 20, 2011. Each gun must be equipped with an appropriate pressure gauge to allow precise measurement of the inlet air pressure and the air pressure must be supplied at equal to or less than 26 psig.

Should you have any questions regarding this authorization, please feel free to call me at (530) 225-5674, or e-mail me at rebell@co.shasta.ca.us.

Sincerely,

Ross Bell
Air Quality District Manager

rb/mb

Suite 101
AIR QUALITY MANAGEMENT DISTRICT
(530) 225-5674
FAX: (530) 225-5237

Suite 102
BUILDING DIVISION
(530) 225-5761
FAX: (530) 245-6468

Suite 103
PLANNING DIVISION
(530) 225-5532
FAX: (530) 245-6468

Suite 201
ENVIRONMENTAL HEALTH DIVISION
(530) 225-5787
FAX: (530) 225-5413

Suite 200
ADMINISTRATION & COMMUNITY EDUCATION
(530) 225-5789
FAX: (530)-225-5807